


BEC PLAST



PVC CONDUITS & FITTINGS

Providing the Perfect Safety for Electrical Conductors



**Setting
the Benchmark
for Excellence**

**Leading
the Indian Conduit
Industry
with Innovation,
Safety & Quality**



ABOUT BECON PIPE INDUSTRIES


Setting the benchmark for excellence in its line of business, BECON Pipe Industries is one of India's leading manufacturers of BIS marked rigid PVC flame retardent low-smoke Conduit Pipes and pipe fittings. The pioneering company was formed to establish new grounds for innovation, safety and quality across its repertoire of products.

From product to service, the organization offers the highest standards of quality through a dedicated network of professionals and dealers spread strategically through the country. BECON Pipe Industries' focus on delivering excellence is maintained with its state-of-the art ISO 9001: 2008 manufacturing facility in Himachal Pradesh, which has top-of-the line machinery handled by skilled personnel.

The company follows rigorous protocols to ensure that each batch of pipes undergoes various tests from inspection of raw material to finished goods on a daily basis to give you the best product for assured electrical safety, in time and every time.

Becon Pipe Industries. Providing the Perfect Safety for Electric Conductors.


CERTIFICATIONS



APPLICATIONS

- Designed for electrical piping systems for protection and routing of electrical wiring
- Channelizing Concealed & Surface wiring
- Widely catered to sectors like Infrastructure, Hospitality, Healthcare, Residential and more

ADVANTAGE B. E. C.



CLIENTS

Our clients comprise prestigious names from both the Government and private sectors across the industries of Infrastructure, Hospitality, Healthcare, Institutional, Commercial, Retail, Residential and more. Included amongst them are:



Disclaimer: Please note that the all trademarks, trade names and logos belong to the respective owners. The logos above have been shown only to represent the corresponding organizations and brands that Beacon Pipe Industries has worked with.

RANGE OF CONDUITS

Manufactured as per IS 9537 Part III/ 1983 Standard, BEC Plast PVC Conduit Pipes are made from pure polyvinyl chloride and available as medium and heavy duty variants. Its superior material ensures adequate mechanical strength to withstand extremely heavy loads and high temperatures, thus assuring optimum viability for any and all job requirements. Resistant to corrosion, heat and impact, the unplasticised and smooth-walled conduit pipes facilitate effortless wire pulling for easy installation. BEC Plast PVC Conduit Pipes are primarily offered in black and white but can also be customized as per customer specifications. Each length of the product is distinguished with the trademark of our company name along with the ISI logo so that you can be guaranteed of the genuine value of every BEC Plast Conduit Pipe.



DIMENSIONS FOR RIGID PVC CONDUIT PIPES

Nominal Size of Conduits (in mm)	Outside Diameter (in mm)	Tolerance in Outer Diameter (in mm)	Inside Diameter [minimum] (in mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2

RANGE OF ACCESSORIES

SPECIFICATIONS FOR PVC SOCKET

Manufacturing Range	Manufactured in Colour
20 mm - 50 mm	White, Grey & Black




RANGE OF ACCESSORIES

SPECIFICATIONS FOR 1-WAY JUNCTION BOX	
Manufacturing Range	Manufactured in Colour
20 mm - 32 mm	White & Black



SPECIFICATIONS FOR 2-WAY JUNCTION BOX	
Manufacturing Range	Manufactured in Colour
20 mm - 32 mm	White & Black



SPECIFICATIONS FOR 3-WAY JUNCTION BOX	
Manufacturing Range	Manufactured in Colour
20 mm - 32 mm	White & Black



SPECIFICATIONS FOR 4-WAY JUNCTION BOX	
Manufacturing Range	Manufactured in Colour
20 mm - 32 mm	White & Black

SPECIFICATIONS FOR PVC BENDS	
Manufacturing Range	Manufactured in Colour
20 mm - 50 mm	White, Grey & Black



SPECIFICATIONS FOR DEEP JUNCTION BOX	
Manufacturing Range	Manufactured in Colour
20 mm - 32 mm	White & Black

